



DEVAL L. PATRICK
GOVERNOR

TIMOTHY P. MURRAY
LT. GOVERNOR

MARY ELIZABETH HEFFERNAN
SECRETARY

The Commonwealth of Massachusetts
Executive Office of Public Safety and Security
Department of Fire Services

P.O. Box 1025 ~ State Road

Stow, Massachusetts 01775

(978) 567-3100 Fax: (978) 567-3121

www.mass.gov/dfs



STEPHEN D. COAN
STATE FIRE MARSHAL

For Immediate Release: April 11, 2012
Contact: Jennifer Mieth, (978) 567-3381

Propane Barbecue Grill Causes Uxbridge Fire

State Fire Marshal Stephen D. Coan and Uxbridge Fire Chief William Kessler said the cause of last evening's fire at 135 Kasey Court in Uxbridge was a barbecue grill too close to the home's vinyl siding. A portable gas grill powered by an 8 lb cylinder ignited the exterior of the home and the fire traveled up the side, entered soffits and burned the roof of the one-family home. Several people were home at the time and escaped without injury.

The fire was jointly investigated by members of the Uxbridge Fire Department and State Police assigned to the Office of the State Fire Marshal.

Administrative Services • Division of Fire Safety
Hazardous Materials Response • Massachusetts Firefighting Academy